Page 3 of 5 Brent Andrewsen M/047/0032 June 18, 2015

WORKSHEET FOR ASSESSMENT OF PENALTIES DIVISION OF OIL, GAS & MINING Minerals Regulatory Program

NOV / CO #: MN-201 COMPANY / MINE		II, LLC / Asphalt	PERMIT: Ridge #2	M/047/0032
ASSESSMENT DATE ASSESSMENT OFFIC	June 17, 2015			
A. Are there	e previous violation of today's date?		ending or	vacated, which fall three
PREVIOUS VIO	DLATIONS	EFFECTIVE D	ATE	POINTS (1pt for NOV 5pts for CO
None		3		
		7	—— ГОТАL Н	ISTORY POINTS 0
NOTE: For a second seco	ach category where the eginning at the mid-po	in Parts II and III, the by the inspector, the A violation falls. int of the category, the	Assessment (e Assessmen	apply: Officer will determine within at Officer will adjust the points ments as guiding documents.
	EVENT (A) or Adassign points according		iolation? _	Event (A)
	VIOLATIONS (May What is the event when the event wh		tandard wa	as designed to prevent?
2. V	What is the probabil	ity of the occurren	ice of the e	event which a violated
S1	andard was designe <u>PROBABILI</u> None Unlikely		OINT RA 0 1-9	ANGE
	Likely Occurred		10-19 20	

ASSIGN PROBABILITY OF OCCURRENCE POINTS 20

PROVIDE AN EXPLANATION OF POINTS:

The inspector indicated that the event (Sediment had left the permitted area) had occurred.

Page 4 of 5 Brent Andrewsen M/047/0032 June 18, 2015

3. What is the extent of actual or potential damage: <u>Sediment had washed</u> out of the permitted area about half the distance to a residential area. Potential for damaging property is considered likely.

ASSIGN DAMAGE POINTS (RANGE 0-25) 10

In assigning points, consider the duration and extent of said damage or impact, in terms of area and impact on the public or environment.

PROVIDE AN EXPLANATION OF POINTS: <u>A public road right-of-way was</u> affected, and it was determined that it would be likely it could have damaged (affected private lands as well. Consideration was given that this resulted from a larger than normal storm — however there was no detail provided as to design criteria for sediment control measures or that the design storm was exceeded. Inspector had warned the operator of the need to upgrade or maintain sediment control structures in the past. Points were assigned just below mid-point of the range

B. <u>ADMINISTRATIVE VIOLATIONS</u> (Max 25pts)

1. Is this a POTENTIAL or ACTUAL hindrance to enforcement? _______
Assign points based on the extent to which enforcement is actually or potentially hindered by the violation.

ASSIGN HINDRANCE POINTS N/A

PROVIDE AN EXPLANATION OF POINTS: _

TOTAL SERIOUSNESS POINTS (A or B) 30

III. <u>DEGREE OF FAULT</u> (Max 30 pts.) (R647-7-103.2.13)

A. IF SO--NO NEGLIGENCE; or, , IF SO--GREATER DEGREE OF FAULT THAN NEGLIGENCE. Point Range No Negligence (Was this an inadvertent violation which was unavoidable by the exercise of reasonable care?)

Negligence (was this a failure of a permittee to prevent the occurrence of a violation due to indifference lack of diligence, or lack of reasonable care?)

Greater Degree of Fault (was this a failure to abate any violation or was economic gain realized by the permittee?

STATE DEGREE OF NEGLIGENCE Negligent

ASSIGN NEGLIGENCE POINTS 7

PROVIDE AN EXPLANATION OF POINTS: <u>Inspector indicated that the company</u> had been warned of the need to upgrade sediment control structures prior to this event. <u>Points are assigned at the mid-point of the range.</u>

Page 5 of 5 Brent Andrewsen M/047/0032 June 18, 2015

IV. GOOD FAITH (Max 20 pts.) (R467-7-103.2.14)

(Either A or B) (Does not apply to violations requiring no abatement measures, or violations not abated at the time of assessment)

Has Violation Been Abated? No

A. EASY ABATEMENT (The operator had onsite, the resources necessary to achieve compliance of the violated standard within the permit area.)

Point Range

	Point Kange
Immediate Compliance	-11 to -20
(Immediately following the issuance of the NOV)	
Rapid Compliance	-1 to -10
(Permittee used diligence to abate the violation.	
Violation abated in less time than allotted.)	
Normal Compliance	0
(Operator complied within the abatement period required,	
or, Operator requested an extension to abatement time)	

B. DIFFICULT ABATEMENT (The operator did not have the resources at hand to achieve compliance, or the submission of plans was required prior to physical activity to achieve compliance.)

Rapid Compliance	Point Range -11 to -20	2
(Permittee used diligence to abate		
Violation abated in less time than		
Normal Compliance	-1 to -10	
(Operator complied within the aba	atement period)	
Extended Compliance	0	
(Operator complied within the aba		
or, Operator requested an extension	on to abatement time)	
(Permittee took minimal actions		
within the limits of the violation,	or the plan submitted	
for abatement was incomplete.)		

EASY OR DIFFICULT ABATEMENT?

ASSIGN GOOD FAITH POINTS 11

V. ASSESSMENT SUMMARY (R647-7-103.3)

I.	TOTAL HISTORY POINTS	0
II.	TOTAL SERIOUSNESS POINTS	30
III.	TOTAL NEGLIGENCE POINTS	7
IV.	TOTAL GOOD FAITH POINTS	-11
	TOTAL ASSESSED POINTS	26

TOTAL ASSESSED FINE \$ 660.00